



WOODZENSE



PROJECT REFERENCE
CYRILLE HAREUX / HELENE ROHART RESIDENCE



PROJECT REFERENCE
LANGSUAN VILLE

PROJECT REFERENCE
BUG STUDIO



CLIPLOCK DECKING
RING TILE

CLIPLOCK DECKING
CHOCOLATE BAR





PROJECT REFERENCE
THAMMASART UNIVERSITY BOOKSTORE



PROJECT REFERENCE
PRIME NATURE VILLA


CLIPLOCK DECKING
FINE LINE












Cliplock Decking is perfect for your home and garden decoration. These deckings were designed for easy installation, they were made from recycled wood from our high quality furniture production. They are highly durable and feature outstanding dimensional stability for outdoor use with marine grade finishing.

CLIPLOCK DECKING

FINE LINE



INFORMATION

SIZE (W x L x H)

30 x 30 x 3.2 cm

WOOD

Teak Offcuts

FINISHING

Teak Oil


BACKING

High-Density Polyethylene

FITTING

Screws

INSTALLATION


*on flat surface*



CLIPLOCK DECKING

19

CHOCOLATE BAR



INFORMATION

SIZE (W x L x H)
30 x 30 x 3.7 cm


WOOD
Teak Offcuts

FINISHING
Teak Oil

BACKING
High-Density Polyethylene

FITTING
Screws

INSTALLATION




on flat surface



CLIPLOCK DECKING

RING TILE

*INSTALLED ON DRY SURFACE ONLY



INFORMATION

SIZE (W x L x H)

30 x 30 x 2.7 cm

WOOD

Young Teak

FINISHING

Teak Oil


BACKING

High-Density Polyethylene

FITTING

Screws

INSTALLATION



on flat surface

CLIPLOCK DECKING

FINE LINE



SIZE (W x L x H)
30 x 30 x 3.2 cm

WOOD
Teak Offcuts

FINISHING
Teak Oil

BACKING
High-Density Polyethylene

FITTING
Screws

CHOCOLATE BAR



SIZE (W x L x H)
30 x 30 x 3.7 cm

WOOD
Teak Offcuts

FINISHING
Teak Oil

BACKING
High-Density Polyethylene

FITTING
Screws

RING TILE * INSTALLED ON DRY SURFACE ONLY



SIZE (W x L x H)
30 x 30 x 2.7 cm

WOOD
Young Teak

FINISHING
Teak Oil

BACKING
High-Density Polyethylene

FITTING
Screws

Introducing **3D Wall Mosaic** which will transform your wall into something blissfully beautiful.

Highly recommended for indoor use, such as conference room, glass room, extra large room, or home theatre room. They were made from upcycled wood.


They act as acoustic panels to create a better sounding environment while simultaneously enhancing the decor of the room.

The use of **3D Wall Mosaic** can improve the sound and aesthetic quality of your space, offering an attractive solution to improve tonal balance and sound intelligibility, while minimizing sound reflections.



3D WALL MOSAIC

BLUETS



INFORMATION

SIZE (W x L x H)

15 x 15.5 x 1 cm

WOOD

Golden Teak


FINISHING

PU

FITTING

Pattex Nail Power PL50

INSTALLATION






3D WALL MOSAIC

25

CRISS CROSS



INFORMATION

SIZE (W x L x H)

A | 14.4 x 14.4 x 1 cm

B | 4.8 x 4.8 x 1 cm

WOOD

Golden Teak


FINISHING

PU

FITTING

Pattex Nail Power PL50


INSTALLATION





3D WALL MOSAIC

BASKETEER



INFORMATION

SIZE (W x L x H)

A | 9 x 18 x 1.5 cm

B | 4.35 x 4.35 x 0.5 cm

WOOD

Golden Teak


FINISHING

PU

FITTING

Pattex Nail Power PL50

INSTALLATION






3D WALL MOSAIC

27

HIVE



INFORMATION

SIZE (W x L x H)

15 x 15 x 1.5 cm

WOOD

Golden Teak


FINISHING

PU

FITTING

Pattex Nail Power PL50


INSTALLATION





3D WALL MOSAIC

IXORA



INFORMATION

SIZE (W x L x H)

18.6 x 20 x 1 cm

WOOD

Golden Teak


FINISHING

PU

FITTING

Pattex Nail Power PL50

INSTALLATION






3D WALL MOSAIC

29

JENGA



INFORMATION


SIZE (W x L x H)
15 x 15 x 1.5 cm

WOOD
Golden Teak

FINISHING
PU

FITTING
Pattex Nail Power PL50


INSTALLATION





3D WALL MOSAIC

CARPENTER



INFORMATION

SIZE (W x L x H)

A | 6 x 6.9 x 1.2 cm

B | 12.5 x 12.5 x 1.5 cm

WOOD

Golden Teak


FINISHING

PU

FITTING

Pattex Nail Power PL50

INSTALLATION






3D WALL MOSAIC

31

ST. ANDREWS



INFORMATION


SIZE (W x L x H)
15 x 15 x 1.5 cm

WOOD
Golden Teak

FINISHING
PU

FITTING
Pattex Nail Power PL50


INSTALLATION



I FOR INDOOR

3D WALL MOSAIC

BLUETS




SIZE (W x L x H)
15 x 15.5 x 1 cm

WOOD
Golden Teak

FINISHING
PU

FITTING
Pattex Nail Power PL50

CRISS CROSS




SIZE (W x L x H)
A | 14.4 x 14.4 x 1 cm
B | 4.8 x 4.8 x 1 cm

WOOD
Golden Teak

FINISHING
PU

FITTING
Pattex Nail Power PL50

BASKETEER




SIZE (W x L x H)
A | 9 x 18 x 1.5 cm
B | 4.35 x 4.35 x 0.5 cm

WOOD
Golden Teak

FINISHING
PU

FITTING
Pattex Nail Power PL50

HIVE



SIZE (W x L x H)
15 x 15 x 1.5 cm

WOOD
Golden Teak


FINISHING
PU

FITTING
Pattex Nail Power PL50

I FOR INDOOR

3D WALL MOSAIC

IXORA




SIZE (W x L x H)
18.6 x 20 x 1 cm

WOOD
Golden Teak

FINISHING
PU

FITTING
Pattex Nail Power PL50

JENGA




SIZE (W x L x H)
15 x 15 x 1.5 cm

WOOD
Golden Teak

FINISHING
PU

FITTING
Pattex Nail Power PL50

CARPENTER




SIZE (W x L x H)
A | 6 x 6.9 x 1.2 cm
B | 12.5 x 12.5 x 1.5 cm

WOOD
Golden Teak

FINISHING
PU

FITTING
Pattex Nail Power PL50

ST. ANDREWS



SIZE (W x L x H)
15 x 15 x 1.5 cm

WOOD
Golden Teak

FINISHING
PU

FITTING
Pattex Nail Power PL50



DOOR

BUSHFIELD



INFORMATION

SIZE (W x L)
80 x 200 cm


THICKNESS
4.5 cm

WOOD
Solid Golden Teak

FINISHING
PU

* FITTING IS NOT INCLUDED

DETAIL






DOOR

LINING

35



INFORMATION

SIZE (W x L)

80 x 200 cm

THICKNESS

4.5 cm

WOOD


Solid Golden Teak

FINISHING

PU

*** FITTING IS NOT INCLUDED**

DETAIL





DOOR

RHYTHM



INFORMATION

SIZE (W x L)
80 x 200 cm


THICKNESS
4.5 cm

WOOD
Solid Golden Teak

FINISHING
PU

* FITTING IS NOT INCLUDED

DETAIL





DOOR

MATRIX

37

INFORMATION

SIZE (W x L)

80 x 200 cm

THICKNESS

4.5 cm

WOOD


Golden Teak & Oak

FINISHING

PU

* FITTING IS NOT INCLUDED

DETAIL



DOORS

BUSHFIELD



SIZE (W x L)
80 x 200 cm

THICKNESS
4.5 cm

WOOD
Solid Golden Teak

FINISHING
PU

* FITTING IS NOT INCLUDED

LINING



SIZE (W x L)
80 x 200 cm

THICKNESS
4.5 cm

WOOD
Solid Golden Teak

FINISHING
PU

* FITTING IS NOT INCLUDED

RHYTHM



SIZE (W x L)
80 x 200 cm


THICKNESS
4.5 cm

WOOD
Solid Golden Teak

FINISHING
PU

* FITTING IS NOT INCLUDED

MATRIX



SIZE (W x L)
80 x 200 cm

THICKNESS
4.5 cm

WOOD
Golden Teak & Oak

FINISHING
PU

* FITTING IS NOT INCLUDED

PANEL

MAXIMIZE

INFORMATION

SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

4.5 cm

WOOD

Teak, Oak, Ash, Kwangdang

FINISHING

PU

PANEL

FLAKE

INFORMATION

SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

3.5 or 4.5 cm

WOOD

Teak

FINISHING

PU

PANEL

GL OAK

INFORMATION

SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

4.5 cm

WOOD

Oak

FINISHING

PU



PANEL

GL TEAK

INFORMATION

SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

4.5 cm

WOOD

Teak

FINISHING

PU



PANEL

AMUR

INFORMATION

SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

4.5 cm

WOOD

Teak, Ash

FINISHING

PU



PANEL

FJL TEAK

INFORMATION

SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

4.5 cm

WOOD

Teak

FINISHING

PU

PANEL

CARPENTER

INFORMATION

SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

4.5 cm

WOOD

Teak

FINISHING

PU



PANELS

MAXIMIZE



SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

4.5 cm

WOOD

Teak, Oak, Ash, Kwangdang

FINISHING

PU

AMUR



SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

4.5 cm

WOOD

Teak, Ash

FINISHING

PU

FLAKE



SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

3.5 or 4.5 cm


WOOD

Teak

FINISHING

PU

FJL TEAK



SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

4.5 cm

WOOD

Teak

FINISHING

PU

GL OAK



SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

4.5 cm

WOOD

Oak

FINISHING

PU

GL TEAK



SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

4.5 cm

WOOD

Teak

FINISHING

PU

CARPENTER



SIZE (W x L)

60 x 120 | 150 | 180 | 210 | 240 cm

90 x 120 | 150 | 180 | 210 | 240 cm

THICKNESS

4.5 cm

WOOD

Teak

FINISHING

PU

FACTORY

110 employees, 11,600 m² production area, 6 dried-kiln units, operated by machine & craftsmanship since 1989. Current production availability in 40 containers a year. Delivery 4-6 weeks after receipt of a container size order. Moisture content as low as 8-10% can be done upon request.





